



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/700,610	02/20/2001	Fumihiko Nishio	450106-02405	8152
20999	7590	02/25/2005	EXAMINER	
FROMMER LAWRENCE & HAUG 745 FIFTH AVENUE- 10TH FL. NEW YORK, NY 10151			SHELEHEDA, JAMES R	
			ART UNIT	PAPER NUMBER
			2614	
DATE MAILED: 02/25/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/700,610	Applicant(s) NISHIO ET AL.	
	Examiner James Sheleheda	Art Unit 2614	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 February 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>11/17/00</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-24 are rejected under 35 U.S.C. 102(b) as being anticipated by Maissel et al. (Maissel) (WO 99/01984).

As to claim 1, Maissel discloses a transmitting apparatus for providing digital contents (Fig. 8B, headend, 340; page 30, lines 20-27), comprising:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27);

inference rule storing means for storing an inference rule about the data structure of meta information about data that is transmitted (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27); and

transmitting means for transmitting the meta information, the meta information schema, the inference rule, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17).

As to claim 2, Maissel discloses a transmitting apparatus for providing digital contents, comprising:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31 and page 21, lines 1-5);

transmitting means for transmitting the meta information, the meta information schema, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17).

communication controlling means for communicating with a receiving apparatus (page 28, lines 25-30); and

changing means for changing the structure of the meta information schema that has been stored said meta information schema storing means and the meta information that has been stored in said meta information storing means corresponding to data that has been received through said communication controlling means (preparing

Art Unit: 2614

customized EPG data for a particular site based upon a received profile; page 28, lines 17-24 and page 29, lines 1-9).

As to claim 3, Maissel discloses a transmitting apparatus for providing digital contents (Fig. 8B, headend, 340; page 30, lines 20-27), comprising:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27);

inference rule storing means for storing an inference rule about the data structure of meta information about data that is transmitted (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27); and

transmitting means for transmitting the meta information, the meta information schema, the inference rule, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17);

communication controlling means for communicating with a receiving apparatus (page 28, lines 25-30); and

changing means for changing the inference rule (user profile containing inference rules; page 27, lines 28-31 and page 28, lines 1-9) that has been stored in said inference rule storing means (wherein the profile, and the contained rules, are updated with viewing information; page 28, lines 25-31 and page 29, lines 1-9) corresponding to data that has been received through said communication controlling means (television viewing information received through an upstream modem; page 28, lines 25-31).

As to claim 4, Maissel discloses converting means for converting the format of the meta information into a transmission format (wherein the guide information must be formatted for transmission over the television broadcast channels; page 16, lines 12-17).

As to claims 5 and 23, Maissel discloses wherein data that has been received through said communication controlling apparatus is data that represents a use history of meta information of the receiving apparatus (a user's television viewing history; page 28, lines 25-30).

As to claim 6, Maissel discloses a receiving apparatus for receiving data for providing digital contents, comprising:

receiving means (Fig. 2; receiving unit, 120) for receiving at least meta information and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29);

meta information schema storing means for storing a meta information schema (customization instructions for EPG layout; page 20, line 19 – page 22, line 17);

profile operating means (Fig. 2; Intelligent agent, 130) for operating selection criterion for selecting meta information corresponding to the meta information schema (performing the EPG customization; page 20, lines 19-31 and page 22, line 17);

user profile storing means (Fig. 2; profile storage unit, 140) for storing a user profile generated by said profile operating means (page 18, lines 18-27);

meta information filtering means (130) for selecting and receiving meta information corresponding to the user profile (performing the EPG customization based upon a user preference profile; page 20, lines 19-31 and page 22, lines 1-17);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

inference rule storing means (Fig. 2; profile storage unit, 140) for storing an inference rule about the data structure of meta information (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31 and page 28, lines 1-11);

data storing means for receiving and storing data of contents represented by the meta information that has been selected (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22); and

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3).

As to claim 7, Maissel discloses a receiving apparatus for receiving data for providing digital contents data (110), comprising:

receiving means (Fig. 2; receiving unit, 120) for receiving at least meta information and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information (customization instructions for EPG layout; page 20, line 19 – page 22, line 17);

profile operating means (Fig. 2; Intelligent agent, 130) for operating selection criterion for selecting meta information corresponding to the meta information schema (performing the EPG customization; page 20, lines 19-31 and page 22, line 17);

user profile storing means (Fig. 2; profile storage unit, 140) for storing a user profile generated by said profile operating means (page 18, lines 18-27);

meta information filtering means (130) for selecting and receiving meta information corresponding to the user profile (performing the EPG customization based upon a user preference profile; page 20, lines 19-31 and page 22, lines 1-17);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

inference rule storing means (Fig. 2; profile storage unit, 140) for storing an inference rule about the data structure of meta information (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31 and page 28, lines 1-11);

changing means for changing the structure of the meta information schema that has been stored in said meta information schema storing means and the meta information that has been stored in said meta information storing means (customizing the EPG structure based upon **current** user profiles and preferences; page 20, lines 19- page 22, lines 17) corresponding to the user profile that has been stored in said user profile storing means (page 19, lines 1-8 and page 20, lines 19-27) and to the inference rule that has been stored in said inference rule storing means (page 27, lines 28-31 and page 28, lines 1-11);

data storing means for receiving and storing data of contents represented by the meta information that has been selected (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22); and

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3).

As to claim 8, Maissel discloses wherein said changing means changes the meta information schema that has been stored in said meta information schema storing means and the meta information that has been stored in said meta information storing means corresponding to a use history of meta information of a user (a user's viewing history; page 28, lines 25-30).

As to claim 9, Maissel discloses wherein said changing means changes the meta information schema corresponding to a user's setup (page 19, lines 9-18) and stores the changed meta information schema and changed meta information to said meta information schema storing means (user profile indicating how to modify the EPG; page 19, lines 9-18) and said meta information storing means (the customized EPG; page 20, lines 19-page 22, lines 17), respectively.

As to claim 10, Maissel discloses a transmitting and receiving apparatus having a transmitting apparatus for providing digital contents (Fig. 8B, headend, 340; page 30, lines 20-27) and a receiving apparatus for receiving digital contents (110),

wherein the transmitting apparatus comprises:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27);

inference rule storing means for storing an inference rule about the data structure of meta information about data that is transmitted (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27); and

transmitting means for transmitting the meta information, the meta information schema, the inference rule, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17), and

receiving means (Fig. 2; receiving unit, 120) for receiving the meta information, the meta information schema, the inference rule and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29 and page 30, lines 20-27);

meta information schema storing means the received meta information schema (default EPG schedule data before customization; page 24, lines 27-31 and page 25, lines 1-3);

profile operating means (Fig. 2; Intelligent agent, 130) for operating a selection criterion for selecting meta information corresponding to the meta information schema (performing EPG customization; page 20, lines 19-31 and page 22, line 17);

user profile storing means (Fig. 2; profile storage unit, 140) for storing a user profile generated by said profile operating means (page 18, lines 18-27);

meta information filtering means (130) for selecting and receiving meta information corresponding to the user profile (performing the EPG customization based upon a user preference profile; page 20, lines 19-31 and page 22, lines 1-17);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

inference rule storing means (Fig. 2; profile storage unit, 140) for storing an inference rule that has been received (inference rule contained within the user profile; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27);

data storing means for receiving and storing data of contents that is represented by the selected meta information (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22); and

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3).

As to claim 11, Maissel discloses a transmitting and receiving apparatus having a transmitting apparatus for providing digital contents (Fig. 8A, headend, 340; page 28, lines 12-24) and a receiving apparatus for receiving digital contents (110),

wherein the transmitting apparatus comprises:

meta information storing means for storing meta information about data that is transmitted (Fig. 8A, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (the default EPG data before customization for a user site; page 20, lines 19-31, page 21, lines 1-5 and page 29, lines 1-9);

transmitting means for transmitting the meta information, the meta information schema, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17);

communication controlling means for communicating with a receiving apparatus (page 28, lines 25-30); and

changing means for changing the structure the meta information schema that has been stored in said meta information storing means and the meta information that has been stored in said meta information storing means corresponding to data that has been received from a receiving apparatus (preparing customized EPG data for a particular site based upon a received profile; page 28, lines 17-24 and page 29, lines 1-9), and

where the receiving apparatus comprises:

receiving means (Fig. 2; receiving unit, 120) for receiving the meta information, the meta information schema, and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29 and page 30, lines 20-27);

meta information schema storing means for storing meta information schema that has been received (wherein the customized EPG data and format must be stored upon receipt; page 24, lines 27-31, page 25, lines 1-3 and page 29, lines 1-9);

profile operating means for operating a selection criterion for selecting meta information corresponding to the meta information schema (wherein viewer information is selectively stored and transmitted for later EPG customization; page 17-31);

user profile storing means (page 28, lines 17-31) for storing a user profile generated by said profile operating means (wherein the profile data must be stored before transmission to the headend; page 28, lines 17-31);

meta information filtering means for selecting and receiving meta information corresponding to the user profile (receiving the EPG customized based upon a user profile; page 20, lines 19-31, page 22, lines 1-17 and page 29, lines 1-9);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

data storing means for receiving and storing data of contents that is represented by the selected meta information (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22); and

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3); and

communication controlling means for transmitting data to the transmitting apparatus (page 28, lines 25-31).

As to claim 12, Maissel discloses a transmitting and receiving apparatus having a transmitting apparatus for providing digital contents (Fig. 8B, headend, 340; page 30, lines 20-27) and a receiving apparatus for receiving digital contents (110),

wherein the transmitting apparatus comprises:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27);

inference rule storing means for storing an inference rule about the data structure of meta information about data that is transmitted (inference rules based upon the user

profile to customize EPG data; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27); and

transmitting means for transmitting the meta information, the meta information schema, the inference rule, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17), and

communication controlling means for communicating with a receiving apparatus (page 28, lines 25-30); and

changing means for changing the inference rule (user profile containing inference rules; page 27, lines 28-31 and page 28, lines 1-9) that has been stored in said inference rule storing means (wherein the profile, and the contained rules, are updated with viewing information; page 28, lines 25-31 and page 29, lines 1-9) corresponding to data that has been received through said communication controlling means (television viewing information received through an upstream modem; page 28, lines 25-31); and

wherein the receiving apparatus comprises:

receiving means (Fig. 2; receiving unit, 120) for receiving the meta information, the meta information schema, the inference rule and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29 and page 30, lines 20-27);

meta information schema storing means for storing the meta information schema that has been received (default EPG schedule data before customization; page 24, lines 27-31 and page 25, lines 1-3);

profile operating means (Fig. 2; Intelligent agent, 130) for operating a selection criterion for selecting meta information corresponding to the meta information schema (performing EPG customization; page 20, lines 19-31 and page 22, lines 1-17);

user profile storing means (Fig. 2; profile storage unit, 140) for storing a user profile generated by said profile operating means (page 18, lines 18-27);

meta information filtering means (130) for selecting and receiving meta information corresponding to the user profile (performing the EPG customization based upon a user preference profile; page 20, lines 19-31 and page 22, line 17);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

inference rule storing means (Fig. 2; profile storage unit, 140) for storing an inference rule that has been received (inference rule contained within the user profile; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27);

data storing means for receiving and storing data of contents that is represented by the selected meta information (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22);

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3); and

communication controlling means for transmitting data to the transmitting apparatus (page 28, lines 25-31).

As to claim 13, Maissel discloses a transmitting and receiving apparatus having a transmitting apparatus for providing digital contents (Fig. 8B, headend, 340; page 30, lines 20-27) and a receiving apparatus for receiving digital contents (110),

wherein the transmitting apparatus comprises:

meta information storing means for storing meta information about data that is transmitted (Fig. 8B, headend, 340 containing EPG program schedule information to be customized; page 29, lines 3-9 and page 16, lines 24-31);

meta information schema storing means for storing a meta information schema that defines the data structure of meta information about data that is transmitted (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27);

inference rule storing means for storing an inference rule about the data structure of meta information about data that is transmitted (inference rules based upon the user profile to customize EPG data; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27); and

transmitting means for transmitting the meta information, the meta information schema, the inference rule, and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17), and

wherein the receiving apparatus comprises:

receiving means (Fig. 2; receiving unit, 120) for receiving the meta information, the meta information schema, the inference rule and contents data through a transmission path (television programs and program schedule information; page 17, lines 24-29 and page 30, lines 20-27);

meta information schema storing means for storing the meta information schema that has been received (default EPG schedule data before customization; page 24, lines 27-31 and page 25, lines 1-3);

profile operating means (Fig. 2; Intelligent agent, 130) for operating a selection criterion for selecting meta information corresponding to the meta information schema (performing EPG customization; page 20, lines 19-31 and page 22, line 17);

user profile storing means (Fig. 2; profile storage unit, 140) for storing a user profile generated by said profile operating means (page 18, lines 18-27);

meta information filtering means (130) for selecting and receiving meta information corresponding to the user profile (performing the EPG customization based upon a user preference profile; page 20, lines 19-31 and page 22, line 17);

meta information storing means for storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

meta information operating means for searching and/or browsing meta information (page 31, lines 11-13);

inference rule storing means (Fig. 2; profile storage unit, 140) for storing an inference rule that has been received (inference rule contained within the user profile; page 27, lines 28-31, page 28, lines 1-11 and page 30, lines 20-27);

changing means for changing the structure of the meta information schema that has been stored in said meta information schema storing means and the meta information that has been stored in said meta information storing means (customizing the EPG structure based upon **current** user profiles and preferences; page 20, lines 19- page 22, lines 17) corresponding to the user profile that has been stored in said user profile storing means (page 19, lines 1-8 and page 20, lines 19-27) and to the inference rule that has been stored in said inference rule storing means (page 27, lines 28-31 nad page 28, lines 1-11);

data storing means for receiving and storing data of contents that is represented by the selected meta information (recording programs corresponding to EPG selections; page 8, lines 10-12 and page 21, lines 21-22); and

a data operating portion for operating data that has been stored in said data storing means (operating the software controlling the system; page 15, line 29-31 and page 16, lines 1-3).

As to claim 14, Maissel discloses a transmitting method for providing digital contents, comprising the step of:

when meta information about data that transmitted (transmitting the program guide data with the television programming; page 16, lines 12-17), a meta information

schema that defines the data structure of the meta information (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27), and contents data are transmitted through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17),

changing the structure the meta information schema and the meta information corresponding to data that has been received from a receiving apparatus (preparing customized EPG data for a particular site based upon a received profile; page 28, lines 17-24 and page 29, lines 1-9) and transmitting the changed data (page 29, lines 4-13).

As to claim 15, Maissel discloses a transmitting method for providing digital contents, comprising the step of:

when meta information about data that transmitted (transmitting the program guide data with the television programming; page 16, lines 12-17), a meta information schema that defines the data structure of the meta information (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27), and contents data are transmitted through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17),

changing the inference rule corresponding to data that has been received from a receiving apparatus (wherein the profile, and the contained rules, are updated with viewing information; page 28, lines 25-31 and page 29, lines 1-9) and transmitting the changed data (page 29, lines 4-13).

As to claims 16 and 24, Maissel discloses receiving a meta information use history from the receiving apparatus (page 28, lines 25-31) and transmitting a meta information schema, meta information and an inference rule that have been changed so that they have respective data structures corresponding to the meta information use history (transmitting the customized EPG; page 29, lines 1-9).

As to claim 17, Maissel discloses a receiving method for receiving data for providing digital contents, comprising the steps of:

- storing a meta information schema that defines the data structure of meta information (customization instructions for EPG layout; page 20, line 19 – page 22, line 17);

- storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18);

- searching and/or browsing the meta information (page 31, lines 11-13); and

- changing the structure of the meta information schema and meta information that has been stored (customizing the EPG structure based upon **current** user profiles and preferences; page 20, lines 19-page 22, lines 17) corresponding to a user profile (page 19, lines 1-8 and page 20, lines 19-27) and to an inference rule (page 27, lines 28-31 and page 28, lines 1-11).

As to claim 18, Maissel discloses a transmitting and receiving method for providing digital contents and receiving digital contents, comprising the steps of:

transmitting meta information (transmitting the program guide data with the television programming; page 16, lines 12-17), a meta information schema that defines the data structure of the meta information (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27), and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17),

changing the structure of the meta information schema that is transmitted corresponding to data that has been received from a receiving apparatus (preparing customized EPG data for a particular site based upon a received profile; page 28, lines 17-24 and page 29, lines 1-9);

storing a meta information schema that defines the data structure of the meta information that has been received on a receiving side (wherein the customized EPG must be stored before output; page 24, lines 12-18);

storing the meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18); and

searching and/or browsing the meta information (page 31, lines 11-13).

As to claim 19, Maissel discloses a transmitting and receiving method for providing digital contents and receiving digital contents, comprising the steps of:

transmitting meta information about data that is transmitted (transmitting the program guide data with the television programming; page 16, lines 12-17), a meta information schema that defines the data structure of the meta information (default EPG

Art Unit: 2614

data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and page 30, lines 20-27), an inference rule (page 28, lines 1-9 and page 30, lines 20-27) and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17),

changing the inference rule that is transmitted (wherein the profile, and the contained rules, are updated with viewing information; page 28, lines 25-31 and page 29, lines 1-9) corresponding to data that has been received from a receiving apparatus (television viewing information received through an upstream modem; page 28, lines 25-31);

storing a meta information schema that defines the data structure of meta information that has been received on a receiving side (customization instructions for EPG layout; page 20, line 19 – page 22, line 17);

storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18); and

searching and/or browsing the meta information (page 31, lines 11-13).

As to claim 20, Maissel discloses a transmitting and receiving method for providing digital contents and receiving digital contents, comprising the steps of:

transmitting meta information about data that is transmitted (transmitting the program guide data with the television programming; page 16, lines 12-17), a meta information schema that defines the data structure of the meta information (default EPG data before customization at a user site; page 20, lines 19-31, page 21, lines 1-5 and

Art Unit: 2614

page 30, lines 20-27), an inference rule (page 28, lines 1-9 and page 30, lines 20-27) and contents data through a transmission path (transmitting the program guide data with the television programming; page 16, lines 12-17),

storing a meta information schema that defines the data structure of meta information that has been received on a receiving side (customization instructions for EPG layout; page 20, line 19 – page 22, line 17);

storing meta information that has been selected and received (wherein the customized EPG must be stored before output; page 24, lines 12-18); and

changing the structure of the meta information schema and meta information that has been stored (customizing the EPG structure based upon **current** user profiles and preferences; page 20, lines 19-page 22, lines 17) corresponding to a user profile (page 19, lines 1-8 and page 20, lines 19-27) and to an inference rule (page 27, lines 28-31 and page 28, lines 1-11).

As to claims 21 and 22, Maissel discloses converting means for converting the format of the meta information into a transmission format (wherein the guide information must be formatted for transmission over the television broadcast channels; page 16, lines 12-17).

Conclusion

3. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in

Art Unit: 2614

such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on _____.
(Date)

Typed or printed name of person signing this certificate:

Signature: _____

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703)_____ - _____ on _____.
(Date)

Typed or printed name of person signing this certificate:

Signature: _____

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Sheleheda whose telephone number is (703) 305-8722. The examiner can normally be reached on 9:00-5:30.


Art Unit: 2614

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on (703) 305-4795. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James Sheleheda
Patent Examiner
Art Unit 2614

JS



JOHN MILLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600